



LEGEND


- Property Boundary
- Adjoiners Lot Line
- Proposed Lot Line
- 10' Contour Interval
- 2' Contour Interval
- 100 Yr. Floodplain Per 2004 Brockway Eng. Study
- Proposed Gravel Road
- Soil Classification Boundary
- Creek
- 100' Riparian Setback
- Wetlands Per 2004 Survey By American Water Resources
- 75' Wetlands Setback

TEST PITS


- Test Pit #5**
 C-2 0-2' Dark clay loam topsoil
 C-1 2-5' Brown clay silt loam
 A-2 5-8' Sand and gravel
 Groundwater @ 8'.
- Test Pit #6**
 C-2 0-2' Dark clay loam topsoil
 A-2 2-8' Sand and gravel
 Groundwater @ 8'.
- Test Pit #7**
 C-1 0-3.5' Dark clay silt loam topsoil
 A-2 3.5-7' Sand and gravel
 Groundwater @ 7'.

SOILS CLASS LEGEND

- 22 - Carey Lake Loam, 2-4% Slope
- 49 - Hutton Clay Loam, 0-2% Slope
- 72 - Marshdale-Bruneel Loam, 0-2% Slope
- 88 - Peevywell-Simonton Complex, 8-30% Slope



RECEIVED
 OCT 13 2016
 BLAINE COUNTY
 LAND USE & BUILDING SERVICES



NO	DATE	BY	REVISIONS

GALENA ENGINEERING INC.

CIVIL ENGINEERS & LAND SURVEYORS
 317 NORTH RIVER STREET
 HAILEY, IDAHO 83333
 (208) 788-1705
 (208) 788-4612 FAX
 EMAIL: galena@galena-engineering.com

REUSE OF DRAWINGS
 These drawings, or any portion thereof, shall not be used on any Project or extensions of this Project except by agreement in writing with Galena Engineering, Inc.

DESIGNED BY _____ DATE _____
 DRAWN BY _____ DATE _____
 CHECKED BY _____ DATE _____

SOILS INFORMATION FOR
THREE CREEKS CROSSING SUBDIVISION
 WITHIN SECTIONS 25, 26 & 36, T.2N., R.17E., B.M., BLAINE COUNTY, IDAHO
 PREPARED FOR PRESTON ZIEGLER

