

26 Sacks

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

PH
JB

1. WELL OWNER

Name Tom Pyle

Address Box 94 Ketchum Id.

Owner's Permit No. 37-88-S-030

7. WATER LEVEL

Static water level 60 feet below land surface.

Flowing? Yes No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: Valve Cap Plug

Temperature _____ °F. Quality good

Describe artesian or temperature zones below.

2. NATURE OF WORK

New well Deepened Replacement

Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

Pump Bailer Air Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
50	90	1

3. PROPOSED USE

Domestic Irrigation Test Municipal

Industrial Stock Waste Disposal or Injection

Other _____ (specify type)

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
8	0	8	Top soil		X
8	8	20	Glacier rock and dirt		X
6	20	60	" " " " " " " " " "		X
6	60	70	Sand		X
6	70	80	Water and sand	X	
6	80	92	Water and gravel	X	

4. METHOD DRILLED

Rotary Air Hydraulic Reverse rotary

Cable Dug Other _____

5. WELL CONSTRUCTION

Casing schedule: Steel Concrete Other _____

Thickness	Diameter	From	To
<u>.250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>92</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? Yes No

Was a packer or seal used? Yes No

Perforated? Yes No

How perforated? Factory Knife Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? Yes No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? Yes No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 20 Material used in seal: Cement grout

Bentonite Puddling clay _____

Sealing procedure used: Slurry pit Temp. surface casing

Overbore to seal depth

Method of joining casing: Threaded Welded Solvent

Weld _____

Cemented between strata

Describe access port _____

RECEIVED

JUN 22 1988

Department of Water Resources
Southern Region Office

RECEIVED

JUN 27 1988

Department of Water Resources

6. LOCATION OF WELL

Sketch map location must agree with written location.

N

		X
W		E

Subdivision Name _____

Lot No. _____ Block No. _____

County Blaine

NE 1/4 NE 1/4 Sec. 10, T. 2 N, R. 18 E.

10. Work started May 4, 1988 finished May 5, 1988

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

WOOD RIVER DRILLING AND PUMP

File No. 1165 788-3163 Firm No. 265

Address HAILEY, IDAHO 83333 Date 6-1-88

Signed by (Firm Official) Ken Smith

and
(Operator) Ray Jones

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

Weg

1. WELL OWNER

Name Leslie Conner
Address Box 1623-Hailey, ID 83333
Owner's Permit No. 37-W-89-001

7. WATER LEVEL

Static water level 50 feet below land surface.
Flowing? Yes No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: Valve Cap Plug
Temperature _____ °F. Quality good
Describe artesian or temperature zones below.

2. NATURE OF WORK

New well Deepened Replacement
 Abandoned (describe abandonment procedures such as
materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

Pump Bailer Air Other _____

3. PROPOSED USE

Domestic Irrigation Test Municipal
 Industrial Stock Waste Disposal or Injection
 Other _____ (specify type)

Discharge G.P.M.	Pumping Level	Hours Pumped
100	76	1

4. METHOD DRILLED

Rotary Air Hydraulic Reverse rotary
 Cable Dug Other _____

9. LITHOLOGIC LOG

78356

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
10	0	10	Top soil		X
10	10	20	Gravel set in clay		X
8	20	65	" " " " " " " "		X
8	65	75	Clay		X
8	75	85	Gravel and water	X	

5. WELL CONSTRUCTION

Casing schedule: Steel Concrete Other _____
Thickness Diameter From To
.250 inches 8 inches + 1 feet 85 feet
____ inches _____ inches _____ feet _____ feet
____ inches _____ inches _____ feet _____ feet
____ inches _____ inches _____ feet _____ feet
Was casing drive shoe used? Yes No
Was a packer or seal used? Yes No
Perforated? Yes No
How perforated? Factory Knife Torch
Size of perforation _____ inches by _____ inches
Number From To
____ perforations _____ feet _____ feet
____ perforations _____ feet _____ feet
____ perforations _____ feet _____ feet
Well screen installed? Yes No
Manufacturer's name _____
Type _____ Model No. _____
Diameter Slot size Set from _____ feet to _____ feet
Diameter Slot size Set from _____ feet to _____ feet
Gravel packed? Yes No Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 20 Material used in seal: Cement grout
 Bentonite Puddling clay _____
Sealing procedure used: Slurry pit Temp. surface casing
 Overbore to seal depth
Method of joining casing: Threaded Welded Solvent
Weld _____
 Cemented between strata
Describe access port _____

JUN 2 1 1989
Department of Water Resources

RECEIVED
JUN 15 1989

Department of Water Resources
Southern Region Office

6. LOCATION OF WELL

Sketch map location must agree with written location.
N
W X E
S
Subdivision Name MARVIA GARDENS
Lot No. 9 Block No. _____
County B LAINE
NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 10 T. 20 N/S, R. 18 E/W.

10.

Work started May 29, 89 finished May 29, 89

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.
WOOD RIVER DRILLING AND PUMP
Firm Name BOX 1155 788-3163 Firm No. 265
HAILEY, IDAHO 83333 Date 6-7-89
Signed by (Firm Official) Ken Smith
and
(Operator) Gay Jones

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

RECEIVED
JUN 28 1982
Department of Water Resources
SOLICITOR General
District Office

1. WELL OWNER
Name Howard Knight
Address Hailey Ida
Owner's Permit No. _____

7. WATER LEVEL
Static water level 33 feet below land surface
Flowing? Yes No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: Valve Cap Plug
Temperature _____ °F. Quality _____

2. NATURE OF WORK
 New well Deepened Replacement
 Abandoned (describe method of abandoning) _____

8. WELL TEST DATA
 Pump Bailer Air Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>36</u>	<u>37</u>	<u>2</u>

3. PROPOSED USE
 Domestic Irrigation Test Municipal
 Industrial Stock Waste Disposal or Injection
 Other _____ (specify type)

9. LITHOLOGIC LOG **079390**

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
<u>6</u>	<u>0</u>	<u>3</u>	<u>Top Soil</u>		<u>X</u>
<u>6</u>	<u>3</u>	<u>16</u>	<u>Brown clay</u>		<u>X</u>
<u>6</u>	<u>16</u>	<u>54</u>	<u>gravel set in clay</u>		<u>X</u>
<u>6</u>	<u>54</u>	<u>85</u>	<u>gravel & sand</u>	<u>X</u>	
<u>6</u>	<u>85</u>	<u>90</u>	<u>large river gravel</u>	<u>X</u>	

4. METHOD DRILLED
 Rotary Air Hydraulic Reverse rotary
 Cable Dug Other _____

5. WELL CONSTRUCTION
Casing schedule: Steel Concrete Other _____

Thickness	Diameter	From	To
<u>.250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>90</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? Yes No
Was a packer or seal used? Yes No
Perforated? Yes No
How perforated? Factory Knife Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet

Well screen installed? Yes No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? Yes No Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 18 Material used in seal: Cement grout
 Puddling clay Well cuttings
Sealing procedure used: Slurry pit Temp. surface casing
 Overbore to seal depth
Method of joining casing: Threaded Welded Solvent Weld
 Cemented between strata

Describe access port _____

10. Work started Mar. 15-82 finished Mar 28-82

11. DRILLERS CERTIFICATION ll
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.
Firm Name Ken Smith Well Drilling Firm No. 265
Address Box 165 Hailey Ida Date April 24-82
Signed by (Firm Official) Ken Smith
and
(Operator) _____

6. LOCATION OF WELL
Sketch map location must agree with written location.

N			
W	●		E

Subdivision Name _____
Lot No. _____ Block No. _____
County Blaine
NE 1/4 NW 1/4 Sec. 10, T. 20S, R. 18W.

RECEIVED
JUL 6 1982
Department of Water Resources

WELL DRILLER'S REPORT

JUL 2 1973

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

Department of Water Administration
Southern District Office

1. WELL OWNER
Name Howard Knight
Address Hailey Idaho
Owner's Permit No. _____

7. WATER LEVEL
Static water level 18 feet below land surface
Flowing? Yes No G.P.M. flow _____
Temperature _____ ° F. Quality Good
Artesian closed-in pressure _____ p.s.i.
Controlled by Valve Cap Plug

2. NATURE OF WORK
 New well Deepened Replacement
 Abandoned (describe method of abandoning)

8. WELL TEST DATA
 Pump Bailer Other
Discharge G.P.M. 24 Draw Down 6ft. Hours Pumped 1

3. PROPOSED USE
 Domestic Irrigation Test
 Municipal Industrial Stock

9. LITHOLOGIC LOG 033639

4. METHOD DRILLED
 Cable Rotary Dug Other

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
8	0	4	Top Soil		X
8	4	10	Gravel and clay		X
8	10	18	Gravel set in clay		X
6	18	22	" " " "		X
6	22	47	Yellow clay		X
6	47	52	Gravel set in clay		X
6	52	61	Coarse gravel with lots of water	X	

5. WELL CONSTRUCTION
Diameter of hole 6 inches Total depth 61 feet
Casing schedule: Steel Concrete
Thickness 250 inches Diameter 6 inches From 1 feet To 61 feet
Was a packer or seal used? Yes No
Perforated? Yes No
How perforated? Factory Knife Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ feet To _____ feet
Well screen installed? Yes No
Manufacturer's name _____ Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? Yes No Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal? Yes No To what depth 18 feet
Material used in seal Cement grout Puddling clay

6. LOCATION OF WELL
Sketch map location must agree with written location.
37
County Blaine
N.E. 1/4 N.W. 1/4 Sec. 10, T. 2 N., R. 18 E. E/W

10. Work started May 28, 1973 finished May 30, 1973

11. DRILLER'S CERTIFICATION
This well was drilled under my supervision and this report is true to the best of my knowledge.
Claude Nicholson Well Drilling 159
Driller's or Firm's Name Number
Rt. 1 Dietrich Idaho 83324
Kenneth R. Smith June 28, 1973
Signed By Date

IDAHO DEPARTMENT OF WATER RESOURCES WELL DRILLER'S REPORT

Extraction well #3
AD

1. WELL TAG NO. D 0059614
 Drilling Permit No. 861331
 Water right or injection well # 37-22-545

2. OWNER:
 Name Blaine Co. School District #61
 Address 118 W. Bullion St.
 City Hailey State ID Zip 83333

3. WELL LOCATION:
 Twp. 2 North or South Rge. 18 East or West
 Sec. 10 1/4 1/4 1/4
10 acres 40 acres 160 acres
 Gov't Lot _____ County Blaine
 Lat. 43° 31.040 (Deg. and Decimal minutes)
 Long. 114° 17.688 (Deg. and Decimal minutes)
 Address of Well Site 1050 Fox Acres Rd.
 City Hailey

(Give at least name of road + Distance to Road or Landmark)
 Lot. _____ Blk. _____ Sub. Name _____

4. USE:
 Domestic Municipal Monitor Irrigation Thermal Injection
 Other Heat Pump

5. TYPE OF WORK:
 New well Replacement well Modify existing well
 Abandonment Other _____

6. DRILL METHOD:
 Air Rotary Mud Rotary Cable Other _____

7. SEALING PROCEDURES:

Seal material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method/procedure
<u>Bentonite</u>	<u>0'</u>	<u>40'</u>	<u>1450#</u>	<u>Temporary casing</u>

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/Schedule	Material	Casing	Liner	Threaded	Welded
<u>12"</u>	<u>+2'</u>	<u>182'</u>	<u>.25</u>	<u>steel</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Was drive shoe used? Y N Shoe Depth(s) _____

9. PERFORATIONS/SCREENS:
 Perforations Y N Method Perforator
 Manufactured screen Y N Type _____
 Method of installation _____

From (ft)	To (ft)	Slot size	Number	Diameter (nominal)	Material	Gauge or Schedule
<u>125'</u>	<u>175'</u>	<u>1/4" x 1"</u>	<u>1700</u>	<u>12"</u>	<u>steel</u>	

Length of Headpipe _____ Length of Tailpipe _____
 Packer Y N Type _____

10. FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method

11. FLOWING ARTESIAN:
 Flowing Artesian? Y N Artesian Pressure (PSIG) _____
 Describe control device _____

12. STATIC WATER LEVEL and WELL TESTS:
 Depth first water encountered (ft) 60' Static water level (ft) 60'
 Water temp. (°F) _____ Bottom hole temp. (°F) _____
 Describe access port _____

Well test:

Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)	Pump	Bailer	Air	Flowing artesian
<u>-</u>	<u>400+</u>	<u>60</u>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Test method:

Water quality test or comments: _____

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water	
				Y	N
<u>16"</u>	<u>0'</u>	<u>3'</u>	<u>Overburden</u>		
	<u>3'</u>	<u>18'</u>	<u>Gravel & Clay</u>		
	<u>18'</u>	<u>23'</u>	<u>Clay</u>		
	<u>23'</u>	<u>48'</u>	<u>Gravel & Clay</u>		
<u>12"</u>	<u>48'</u>	<u>125'</u>	<u>Gravel & Clay</u>		
	<u>125'</u>	<u>176'</u>	<u>Gravel & Siltstone</u>		
	<u>176'</u>	<u>180'</u>	<u>Rock / Brown Shale (casing)</u>		

RECEIVED

AUG 10 2011

Department of Water Resources
Eastern Region

RECEIVED

AUG 12 2011

DEPT. OF WATER RESOURCES
SOUTHERN REGION

861331

Completed Depth (Measurable): 180'
 Date Started: 6/16/11 Date Completed: 6/27/11

14. DRILLER'S CERTIFICATION:
 I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Jed Denning Drilling Co. No. 519
 *Principal Driller Jed Denning Date _____
 *Driller Jed Denning Date _____
 *Operator II Jed Denning Date 6/27/11
 Operator I _____ Date _____

* Signature of Principal Driller and rig operator are required.

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

Extraction Well

AD

1. WELL TAG NO. D 0059615

Drilling Permit No. B 861332

Water right or injection well # 37-22-545

2. OWNER:

Name Blaine Co. School District #61

Address 118 W. Bullion St.

City Hailey State ID Zip 83333

3. WELL LOCATION:

Twp. 2 North or South Rge. 18 East or West

Sec. 10 1/4 NW 1/4 SE 1/4

Gov't Lot _____ County Blaine

Lat. 43 ° 31.012 (Deg. and Decimal minutes)

Long. 114 ° 17.673 (Deg. and Decimal minutes)

Address of Well Site 1050 Fox Acres Rd.

City Hailey

Lot _____ Blk. _____ Sub. Name _____

4. USE:

Domestic Municipal Monitor Irrigation Thermal Injection

Other Heat Pump

5. TYPE OF WORK:

New well Replacement well Modify existing well

Abandonment Other _____

6. DRILL METHOD:

Air Rotary Mud Rotary Cable Other _____

7. SEALING PROCEDURES:

Seal material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method/procedure
Bentonite	0'	40'	1400#	temporary casing

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/Schedule	Material	Casing	Liner	Threaded	Welded
12"	+2'	190'	.25	steel	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Was drive shoe used? Y N Shoe Depth(s) _____

9. PERFORATIONS/SCREENS:

Perforations Y N Method Perforator

Manufactured screen Y N Type _____

Method of installation _____

From (ft)	To (ft)	Slot size	Number	Diameter (nominal)	Material	Gauge or Schedule
130'	180'		1800	12"	steel	.250

Length of Headpipe _____ Length of Tailpipe _____

Packer Y N Type _____

10. FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method

11. FLOWING ARTESIAN:

Flowing Artesian? Y N Artesian Pressure (PSIG) _____

Describe control device _____

12. STATIC WATER LEVEL and WELL TESTS:

Depth first water encountered (ft) 64' Static water level (ft) 64'

Water temp. (°F) _____ Bottom hole temp. (°F) _____

Describe access port _____

Well test:

Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)	Pump	Bailer	Air	Flowing artesian
-	400+	60	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Water quality test or comments: _____

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water	
				Y	N
16"	0'	3'	Overburden		
	3'	10'	Gravel & Clay		
	10'	20'	Clay		
	20'	48'	Gravel & Clay		
12"	48'	125'	Gravel & Clay		
	125'	180'	Gravel & Sediment		
	180'	190'	Rock (broken) Brown Shale casing		

RECEIVED

AUG 10 2011

Department of Water Resources
Eastern Region

RECEIVED

AUG 12 2011

DEPT. OF WATER RESOURCES
SOUTHERN REGION

Completed Depth (Measurable): 188'

Date Started: 6/16/11 Date Completed: 6/24/11

14. DRILLER'S CERTIFICATION:

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Ed Denning Drilling Co. No. 519

*Principal Driller Ed Denning Date _____

*Driller _____ Date _____

*Operator II Ed Denning Date 6/24/11

Operator I _____ Date _____

* Signature of Principal Driller and rig operator are required.

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

Extraction well # 1
AD

1. WELL TAG NO. D 0059616
Drilling Permit No. 861333
Water right or injection well # 37-22-545

2. OWNER:
Name Blaine Co School District #61
Address 118 W. Bullion St.
City Hailey State ID Zip 83333

3. WELL LOCATION:
Twp. 2 North or South Rge. 18 East or West
Sec. 10 1/4 NW 1/4 SE 1/4

Gov't Lot _____ County Blaine
Lat. 43 ° 30.975 (Deg. and Decimal minutes)
Long. 114 ° 17.658 (Deg. and Decimal minutes)
Address of Well Site 1060 Fox Acres Rd. City Hailey
(Give at least name of road + Distance to Road or Landmark)

4. USE:
 Domestic Municipal Monitor Irrigation Thermal Injection
 Other Heat Pump

5. TYPE OF WORK:
 New well Replacement well Modify existing well
 Abandonment Other _____

6. DRILL METHOD:
 Air Rotary Mud Rotary Cable Other _____

7. SEALING PROCEDURES:

Seal material	From (ft)	To (ft)	Quantity (lbs or ft³)	Placement method/procedure
<u>Bentonite</u>	<u>0'</u>	<u>40'</u>	<u>1500#</u>	<u>Temporary Casing</u>

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/Schedule	Material	Casing	Liner	Threaded	Welded
<u>12"</u>	<u>+2'</u>	<u>166'</u>	<u>25</u>	<u>steel</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Was drive shoe used? Y N Shoe Depth(s) _____

9. PERFORATIONS/SCREENS:
Perforations Y N Method Perforator
Manufactured screen Y N Type _____
Method of installation _____

From (ft)	To (ft)	Slot size	Number/ft	Diameter (nominal)	Material	Gauge or Schedule
<u>115'</u>	<u>165'</u>	<u>1/4" x 1"</u>	<u>1700</u>	<u>12"</u>	<u>steel</u>	

Length of Headpipe _____ Length of Tailpipe _____
Packer Y N Type _____

10. FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft³)	Placement method

11. FLOWING ARTESIAN:
Flowing Artesian? Y N Artesian Pressure (PSIG) _____
Describe control device _____

12. STATIC WATER LEVEL and WELL TESTS:
Depth first water encountered (ft) 64' Static water level (ft) 64'
Water temp. (°F) _____ Bottom hole temp. (°F) _____
Describe access port _____

Well test: Test method:

Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)	Pump	Bailer	Air	Flowing artesian
<u>-</u>	<u>400+</u>	<u>60 min</u>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Water quality test or comments: _____

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water	
				Y	N
<u>16"</u>	<u>0'</u>	<u>3'</u>	<u>Overburden</u>		
	<u>3'</u>	<u>15'</u>	<u>Gravel & Clay</u>		
	<u>15'</u>	<u>21'</u>	<u>Clay</u>		
	<u>21'</u>	<u>48'</u>	<u>Gravel & Clay</u>		
<u>12"</u>	<u>48'</u>	<u>105'</u>	<u>Gravel & Clay (soft)</u>		
	<u>105'</u>	<u>120'</u>	<u>Gravel & Sediment (base)</u>		
	<u>120'</u>	<u>158'</u>	<u>Gravel & Sediment</u>		
	<u>158'</u>	<u>166'</u>	<u>Shale (brown)</u>		
	<u>166'</u>	<u>169'</u>	<u>Hard Shale rock</u>		

RECEIVED
AUG 12 2011
DEPT. OF WATER RESOURCES
SOUTHERN REGION

RECEIVED
AUG 10 2011
Department of Water Resources
Eastern Region

Completed Depth (Measurable): 169'
Date Started: 6/16/11 Date Completed: 6/30/11

14. DRILLER'S CERTIFICATION:
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.
Company Name Jed Denning Drilling Co. No. 519
*Principal Driller Jed Denning Date _____
*Driller _____ Date _____
*Operator II Jed Denning Date 6/30/11
Operator I _____ Date _____

* Signature of Principal Driller and rig operator are required.