

HEL List for ID680 Blaine County Area, Idaho

HEL Classes: 1 = highly erodible 3 = not highly erodible

Mapunit Symbol	Mapunit Name	HEL Class	HEL Class
		Wind	Water
1	Adamson loam, 0 to 2 percent slopes	3	3
2	Adios-Gooding-Bostrum complex, 4 to 20 percent slopes	3	1
3	Adios association, 8 to 25 percent slopes	3	1
4	Balaam gravelly sandy loam, 0 to 2 percent slopes	3	3
5	Balaam very gravelly sandy loam, 2 to 4 percent slopes	3	3
6	Balaam-Adamson complex, 0 to 2 percent slopes	1	3
7	Balaam-Adamson complex, cool, 0 to 2 percent slopes	1	3
8	Balaam-Adamson-Riverwash complex, 0 to 2 percent slopes	1	3
9	Bancroft silt loam, 1 to 4 percent slopes	3	1
10	Bancroft silt loam, 4 to 8 percent slopes	3	1
11	Bickett mucky peat, 0 to 2 percent slopes	3	3
12	Blackspar-Rock outcrop complex, 45 to 75 percent slopes	3	1
13	Blackspot-Prudy association, 30 to 60 percent slopes	3	1
14	Bostrum-Yutruue-Hamrub complex, 2 to 12 percent slopes	3	1
15	Bringmee loam, 0 to 2 percent slopes	3	3
16	Bringmee loam, 2 to 4 percent slopes	3	3
17	Bringmee loam, 4 to 8 percent slopes	3	3
18	Bringmee-Hutton complex, 1 to 4 percent slopes	3	3
19	Bringmee-Little Wood complex, 1 to 4 percent slopes	3	3
20	Bruneel loam, 0 to 2 percent slopes	3	3
21	Carey Lake loam, 0 to 2 percent slopes	3	3
22	Carey Lake loam, 2 to 4 percent slopes	3	3
23	Cox-Rehfield-Rock outcrop complex, 2 to 15 percent slopes	3	3
24	Deerhorn-Rehfield-Rock outcrop complex, 2 to 15 percent slopes	3	3
25	Deerhorn-Wildors complex, 2 to 8 percent slopes	3	3
26	Deerhorn-Wildors-Trevino complex, 2 to 25 percent slopes	3	3
27	Dollarhide-Rock outcrop complex, 60 to 75 percent slopes	3	1
28	Drage gravelly loam, 4 to 8 percent slopes	3	3
29	Drage gravelly loam, 8 to 12 percent slopes	3	3
30	Drage gravelly loam, cool, 2 to 15 percent slopes	3	3
31	Drage very gravelly loam, cool, 0 to 3 percent slopes	3	3
32	Earcree-Lockman complex, 30 to 60 percent slopes	3	3
33	Earcree-Moonstone association, 8 to 30 percent slopes	3	3
34	Earcree-Moonstone association, 30 to 60 percent slopes	3	3
35	Elkcreek-Gaib complex, 30 to 60 percent slopes	3	1
36	Elkcreek-Polecreek complex, 4 to 30 percent slopes	3	1
37	Elksel-Friedman-Starhope complex, 30 to 60 percent slopes	3	1
38	Elksel-Peevywell-Furshur complex, 30 to 60 percent slopes	3	1
39	Elksel-Starhope-Rock outcrop complex, 30 to 60 percent slopes	3	1
40	Friedman-Elksel-Winridge complex, 30 to 60 percent slopes	3	1
41	Gaib-Rock outcrop complex, 30 to 60 percent slopes	3	1
42	Gimlett very gravelly sandy loam, 0 to 2 percent slopes	3	3
43	Gooding-Gooding, eroded-Hamrub complex, 2 to 12 percent slopes	3	1
44	Goodington silt loam, 2 to 4 percent slopes	3	1
45	Goodington-Manard complex, 2 to 8 percent slopes	3	3
46	Hapur silt loam, 0 to 2 percent slopes	3	3

47	Hapur-Bickett complex, 0 to 2 percent slopes	3	3
48	Hapur-Picabo silt loams, 0 to 2 percent slopes	3	3
49	Hutton clay loam, 0 to 2 percent slopes	3	3
50	Hutton variant clay loam, 0 to 2 percent slopes	3	3
51	Isknot gravelly clay loam, 0 to 2 percent slopes	3	3
52	Justesen loam, 2 to 4 percent slopes	3	3
53	Justesen loam, 4 to 8 percent slopes	3	3
54	Justesen loam, 8 to 12 percent slopes	3	1
55	Justesen loam, 12 to 30 percent slopes	3	1
56	Ketchum-Dollarhide complex, 30 to 60 percent slopes	3	1
57	Ketchum-Povey complex, 30 to 60 percent slopes	3	1
58	Laurentzen-Mulshoe complex, 4 to 30 percent slopes	3	1
59	Lava flows	N/A	N/A
60	Lava flows-Cinderhurst complex, 2 to 15 percent slopes	N/A	N/A
61	Lavacreek-Dollarhide very gravelly silt loams, 30 to 60 percent slopes	3	1
62	Lavacreek-Dollarhide very gravelly silt loams, cold, 15 to 60 percent slopes	3	1
63	Lavacreek-Vitale association, 30 to 60 percent slopes	3	1
64	Little Wood gravelly loam, 0 to 2 percent slopes	3	3
65	Little Wood gravelly loam, 2 to 4 percent slopes	3	3
66	Little Wood very gravelly loam, 0 to 2 percent slopes	3	3
67	Little Wood very gravelly loam, 2 to 4 percent slopes	3	3
68	Little Wood very gravelly loam, cool, 1 to 4 percent slopes	3	3
69	Little Wood-Balaam complex, 0 to 2 percent slopes	3	3
70	Manard silt loam, 1 to 4 percent slopes	3	1
71	Marshdale loam, 0 to 2 percent slopes	3	3
72	Marshdale-Bruneel loams, 0 to 2 percent slopes	3	3
73	McBiggam silt loam, 2 to 8 percent slopes	3	3
74	McCary-Justesen loams, 2 to 8 percent slopes	3	1
75	McCary-Justesen-Rock outcrop complex, 2 to 15 percent slopes	3	1
76	McCary-Molyneux loams, 2 to 8 percent slopes	3	1
77	McCary-Pedelford complex, 2 to 30 percent slopes	3	1
78	Molyneux loam, 2 to 4 percent slopes	3	3
79	Molyneux loam, 4 to 8 percent slopes	3	3
80	Molyneux loam, cool, 2 to 15 percent slopes	3	1
81	Moonstone-Bauscher complex, 8 to 30 percent slopes	3	1
82	Moonstone-Earcree association, 30 to 60 percent slopes	3	1
83	Muldoon-Peevywell loams, 2 to 15 percent slopes	3	1
84	Mulshoe-Gaib-Rock outcrop complex, 4 to 30 percent slopes	3	1
85	Mulshoe-Gaib-Winu complex, 30 to 60 percent slopes	3	1
86	Pagari-Rehfield complex, 2 to 15 percent slopes	3	3
87	Peevywell-Simonton loams, 2 to 8 percent slopes	3	1
88	Peevywell-Simonton complex, 8 to 30 percent slopes	3	1
89	Picabo silt loam, 0 to 2 percent slopes	3	3
90	Picabo gravelly loam, 0 to 2 percent slopes	3	3
91	Pits	N/A	N/A
92	Povey-Dollarhide complex, 30 to 60 percent slopes	3	1
93	Povey-Rock outcrop complex, 30 to 60 percent slopes	3	1
94	Povey association, cold, 15 to 60 percent slopes	3	1
95	Povey-Vitale association, 30 to 60 percent slopes	3	1
96	Rehfield-Gooding complex, 2 to 15 percent slopes	3	1
97	Riverwash	N/A	N/A
98	Rock outcrop-Adios complex, 25 to 60 percent slopes	N/A	N/A
99	Rockybar extremely cobbly loam, 2 to 30 percent slopes	3	3

100	Rubble land	N/A	N/A
101	Rubble land-Milligan complex, 60 to 75 percent slopes	N/A	N/A
102	Simonton loam, 2 to 4 percent slopes	3	3
103	Simonton loam, 4 to 8 percent slopes	3	3
104	Simonton-Bauscher complex, 4 to 15 percent slopes	3	3
105	Starhope-Furshur complex, 4 to 15 percent slopes	3	3
106	Starhope-Peevywell-Smelter loams, 4 to 30 percent	3	3
107	Vitale-Blackspar complex, 30 to 60 percent slopes	3	1
108	Vitale-Milligan complex, 30 to 60 percent slopes	3	1
109	Vitale-Povey association, 30 to 60 percent slopes	3	1
110	Winu-Rock outcrop complex, 30 to 60 percent slopes	3	1
111	Winu-Gaib association, 30 to 60 percent slopes	3	1
112	Water	N/A	N/A